

Australian Government

Department of Climate Change, Energy, the Environment and Water



NatHERS Whole of Home Overview

Presenter(s): Date:

Michael Young 8 August 2023



DCCEEW.gov.au

Acknowledgement of Country

Our department recognises the First Peoples of this nation and their ongoing connection to culture and country. We acknowledge First Nations Peoples as the Traditional Owners, Custodians and Lore Keepers of the world's oldest living culture and pay respects to their Elders past, present and emerging.

Scope

In this webinar we will cover:

- Overview of Whole of Home
- Benefits of Whole of Home
- Appliances included in Whole of Home
- How to find energy efficiency information for appliances
- How a Whole of Home Assessment is Conducted
- Whole of Home Certificate
- How do I improve my Whole of Home Rating?
- Questions

Disclaimer

This webinar DOES NOT cover any software or tool. Please speak with software developers to learn about the timings for the release of their Whole of Home product and for training in the use of that tool.



Overview of NatHERS Whole of Home





Energy Use



Source: https://www.yourhome.gov.au/energy/heating-and-cooling

Energy Value

- Energy value is the net cost to society of energy use, including costs to the building user, the environment and energy networks
- It is a measure of the dwelling's energy performance
- Two main factors affect the energy value of any given unit of energy consumed:
 - Fuel type
 - Time of use



The **lower the energy value** of the modelled energy loads in the assessment, the **higher** the Whole of Home performance rating.



Reference Dwelling

The performance rating is calculated based on how the assessed dwelling performs compared with a reference dwelling

A score of 50 means that the dwelling design has the same performance as the reference dwelling



Reference Dwelling

The reference dwelling has the following characteristics:



- Reverse-cycle air-conditioning
- For heating and cooling

Whole of Home software

• Assessors must use NatHERS-accredited software to obtain certification of a NatHERS assessment. The four accredited software tools are:



- All new assessments are to be undertaken using the latest version of the chosen software unless an exemption is provided by the relevant building authority.
- The software must be accredited for a Whole of Home assessment.

What you can't change

- For Whole of Home this includes:
 - The thermal shell elements
 - Same thermal shell must be used for the Star Rating and the Whole of Home rating
- Can still revisit the thermal shell performance, but a new whole of home simulation will be required for the certificate
- Occupant behaviour
- Efficiency of general plug loads



Benefits of Whole of Home

Benefits of Whole of Home

Expanding NatHERS to include Whole of Home helps:



Benefits of Whole of Home

- Support a range of different initiatives, such as the finance sector being able to use NatHERS to underpin their products
- Cater for potential future energy efficiency requirements in the National Construction Code

Benefits of expanding NatHERS

- Supports a variety of programs
- Delivers harmonised outputs
- Allows a choice of tools to be accredited that can suit different users
- Uses science and Australian data
- Requires assessors use the home energy rating tools in consistent ways
- Ensures consistent data
- National administrative processes
- Delivery by both government and commercial entities
- National governance



Appliances included in Whole of Home



Heating appliances

The Whole of Home assessment tools will allow selection from the following heating appliances:



Correct sizing for the dwelling is very important

Cooling appliances

The Whole of Home assessment tools will allow selection from the following cooling appliances:



No delineation between reverse cycle and cooling-only air-conditioners

Cooling appliances

- The tools allows each cooling appliance to be allocated to **one** or **multiple** rooms or zones of the home.
- Evaporative coolers can only be selected for use in appropriate NatHERS climate zones.



Water heating appliances



Water heating appliances

Whole of Home assessment tools will include the following water heating appliances:



Water heating appliances

The choice may also be limited by available energy sources:

- Solar access and adequate north facing roof space must be available if a solar hot water system is to be installed.
- Natural gas is not available in some areas.



Lighting

- Energy consumption for artificial lighting is calculated automatically by the software - based on the floor area of the building and a standard assumption for lighting efficiency and use.
- Assumes that the building complies with any lighting provisions in the construction code.
- A NatHERS certificate is not proof that the design has met the minimum lighting provisions in the NCC.
- NatHERS tools are not 'lighting calculators' and cannot be used to determine lux levels in the building.
- A new home or renovation must meet the energy consumption requirements of the NCC.

Onsite Energy Generation and Storage



Onsite Energy Generation and Storage

- A 1.5 kilowatt system would provide about 25% of the electricity needs for a family of four with average energy consumption.
- Whole-of-Home assessment tools include solar PV and a battery option based on the Victorian Zero Net Carbon method.
- A shading factor is built into the model to account for overshadowing objects:
 - no shading,
 - medium shading
 - high shading

Onsite Energy Generation and Storage

- The assessment requires:
- slope of the panels,
- the size of the system,
- the direction the system faces and,
- the time zone to be inputted.



Swimming Pool and Spas Pumps

- Filtration is 70 90% of pool electricity use
- Pool pumps can also perform other functions:
 - running spa jets,
 - water features, or
 - high-pressure cleaning systems.
- Pool volume or surface area is entered into the tool



Swimming Pool and Spas Pumps

Pool pump options in Whole of Home are:

- Single Speed
- Dual-speed
- Multi-speed

There are three pool cleaning pump options available:

- Pressure Cleaner with Main Filtration Pump
- Pressure Cleaner with Booster Pump
- Robotic system
- A standard assumption of pump efficiency is applied.

Cooking appliances

Cooktop:

- Gas
- Electric
- Induction

Oven:

- Electric
- Gas





How to find energy efficiency information for appliances

Appliance energy labels

The Energy Rating Label shows the **energy efficiency** and **energy consumption** of rated products allowing comparison of running costs over the life of the product.

Energy rated appliances



Energy rated appliances



Natural gas appliances



Energy rating

- The Equipment Energy Efficiency (E3) Program helps improve the energy-efficiency of a range of appliances and equipment.
- By buying more efficient models, households and businesses can:
 - consume less energy,
 - save money on their energy bills, and
 - help to reduce emissions.

Where to find Appliance Energy Rating



https://reg.energyrating.gov.au/comparator/product_types/



How a Whole of Home Assessment is conducted

NatHERS assessment

- The NatHERS Whole of Home assessment builds on the existing NatHERS thermal assessment that is used to verify compliance with the energy efficiency performance requirements of the NCC.
- From 1 October 2023, there will be two energy efficiency performance requirements for residential buildings under the NCC:
 - the thermal performance and,
 - the energy usage performance.
- A NatHERS assessment will verify compliance with both of these requirements:
 - The thermal assessment and star rating will address thermal performance.
 - The Whole of Home performance rating will address energy usage.

Other options

There are other options for demonstrating compliance with the NCC energy efficiency provisions:

- an elemental method is also available in the NCC
- In New South Wales, the BASIX tool is used in place of the NatHERS Whole of Home





The assessment process

2

3

5

6



Identify and collect information and documentation

Enter heating and cooling details

Enter hot water details

Enter lighting details

Enter spa and pool details (if applicable)

The assessment process continued

Enter onsite renewable energy details (if applicable)

Enter onsite energy storage details (if applicable)

Other notes and considerations

Run the Whole of Home calculation

Generate the NatHERS certificate and mini-certificate (stamp)

12

8

9

10

11

Stamp drawings and provide to client with the NatHERS certificate



Whole of Home Certificate

DRAFT - REPRESENTATIVE ONLY Nationwide House Energy Rating Scheme® NatHERS® Certi@cate No.#000000000-00

Generated on (date) using (software and version) johner bolenjate text other bolenjate text

Property

Address 100 Street, Suburb, Staterrentory, Postcodel LobDP [number] NGG class [number] No. of Boors [number] Type [newtrenovation (edisting]]

Plans

Main plan [plan number, version & date] Prepared by [n ame of preparer of plans]

Construction and environment

Assessed Boor area (m)* Exposure type Conditioned* 000.0 (soposure) Unconditioned* 0.0 WatteRS dwate zone Total 0.0 (number, town(suburb) Garage 0.0

Accredited assessor

Name Lassessor hamel Busines 5 name Dusiness namel Brail (email add read phone 100 000 00001 Assorditation No (000 000 0001 Association of assessor Accrediting Organization (name of Assessor Accrediting Organization) Declaration of Interest (d eduration)

NCC Requirements

B CA provisions [Volume V/ oume 2] Statementiony variation [PresiNo]

National Construction Code (NCC) requirements (To be continued by NCC)

(is us contained by first) (addingte: The whole of Homeport/smarce rating used for compliance with the PCC requirements is the rating including any on alle renewable energy the provided

protection (photo: a control of the NathERS rated houses are dealed in 3.1201/c01 and 3.12.5 of the NCC Volume Two. For apartments the requirements are dealed in JD 2 and JS to JS of the NCC volume Cine.

In NOC 2010, these requirements include minimizer raings and sparate heating and costing lead limits that need to be met by buildings and apartments through the hat HERe assessment. Requirements additional to the hat HERE assessment hat the start space and start and the said the hat hat the start must also be ast able hat building scaling, missible, include and power and antifold lighting requirements. The NOC and water heating and powering, and antifold lighting requirements. The NOC and that heating and powering, and antifold lighting requirements. The NOC and space and additions to the NOC and space lighting requirements and additions to the NOC met also explud.

The rmal performance star rating 7.0 The rest of the r

for more interaction on pair develops while some weget and have a get that

Thermal performance (MJ/m*) Umits taken from ABCB Standard (xook X) Cooling Heating 0.0000 0.0000 Modelled 0,0000 0.0000 Load Withits Features determining load limits for Class 1 mpel Floor type (lowest conditioned area) DOWNINAL NOC dim ate zone \ or 2 DUNN AL Outdoor living area. DUNIMAL outd our living area celling fan

> Whole of Home performance rating 60 out of 100

Improving an angly performance

10000	
Verillcation	<u>10021</u>
To verify this certificate, cran the CR code or visit	
[Hstar-dev. arurewebsites.neb@R/ Concerte.70=MaldPigJ1	
When using either link,	
hstar-dev ar urewebsites net	D. Serveyor.

Page Vol 10

Thermal Shell



 Refer to glossary Generaled on [date] using [software] for [address]. 2022 Certificate examples (September 2022) Thermal performance Nationwide House Energy Rating Scheme® NatHERS® Certificate No. #000000000-00 Generated on [date] using [software and version] [other boilerplate text other boilerplate text]

Property

[00 Street, Address Suburb, State/Territory, Postcode] [number] Lot/DP [number] Floor/all Floors [dwelling entrance floor] of [total no. of floors] floors

[new/renovation/existing]

Туре Plans

[plan number, version & date] Main plan [name of preparer of plans] Prepared by

Construction and environment

Exposure type Assessed floor area (m²)* [exposure] Conditioned* 000.0 NatHERS climate zone Unconditioned* 0.0 [number, town/suburb] 0.0 Total 0.0 Garage

Accredited assessor : 🖈

[assessor name] Name [business name] **Business name** [email address] Email [0000 0000 000] Phone [000 000 000] Accreditation No. Assessor Accrediting Organisation

[name of Assessor Accrediting Organisation] Declaration of interest [declaration]

NCC Requirements

[Volume 1/Volume 2] **BCA** provisions State/Territory variation [Yes/No]

National Construction Code (NCC) requirements

The NCC allows the use of NatHERS accredited software to comply with the energy e Meiency requirements for houses (Class 1 buildings) and apartments (Class 2 sole-occupancy units and Class 4 parts of buildings). The applicable requirements for houses are detailed in Specification 42 of NCC Volume Two. For apartments the requirements are detailed in clauses J3D3 and J3D15 of NCC Volume One.

NCC 2022 includes enhanced thermal performance requirements for houses and apartments. It also includes a new whole-of-home annual energy use budget which applies to the major equipment in the home.

The NCC, and associated ABCB Standards and support material, can be accessed at www.abcb.gov.au.

Note, variations and additions to the NCC energy e Reiency requirements may apply in some states and territories.

* Refer to glossary. Generated on [date] using [software] for [address]



Features determining load limits [Type] Floor type (lowest conditioned area) [Y/N/NA] NCC climate zone 1 or 2 [Y/N/NA] Outdoor living area [Y/N/NA] Outdoor living area ceiling fan

> Whole of Home performance rating 60 out of 100







scan the QR code or visit [Hstar-dev. azurewebsites.net/QR/ Generate?p=MlalcPjqJ.] When using either link, ensure you are visiting	
hstar-dev.azurewebsites.net	EL OPERATION

Page 1 of 10

2022 Certificate examples (September 2022)

[#000000000-00] NatHERS Certificate 0.0 Star rating and 00 Whole of Home rating as of [Date]

About the ratings

Thermal performance rating

NatHERS thermal software models the expected heating and cooling energy loads using information about the design, construction, climate and common patterns of household use. The thermal performance rating (shown as a star rating on this Certificate) does not take into account appliances, apart from the airflow impacts from ceiling fans.

Whole of Home performance rating

NatHERS Whole of Home software uses the heating and cooling energy loads combined with the energy performance of the home's appliances (heating, cooling, hot water, lighting, pool/spa pump and onsite renewable energy generation and storage) and models the expected energy value* of the whole home. The Whole of Home performance rating is shown as a score out of 100 on this Certificate.

Heating & Cooling Load Limits

Additional information

In some locations under the NCC NatHERS pathway, separate heating and cooling load limits may apply. Minimum required star ratings in northern parts of Australia may also be affected by the presence or absence of an outdoor living area and/or an outdoor living area ceiling fan. Refer to the ABCB NatHERS heating and cooling load limits Standard 2022.1 for details or contact the relevant local building regulating authority, noting that State and Territory variations may also apply.

Setting options:

Floor type: CSOG - Concrete Slab on Ground SF – Suspended Floor (or a mixture of CSOG and SF) NA – Not Applicable Cost: NCC climate Zone 1 or 2: SE [XX]% -Yes No SG [XX]% NA - not applicable Outdoor living area: CAE [XX]% Yes No NA - not applicable PA [XX]% Outdoor living area ceiling fan: Yes P [XX]% -No NA – not applicable L [XX]%-Graph Key: Predicted onsite renewable Colour: Code: energy impact HE Your Whole of Home energy use* rating excluding onsite renewable energy generation Heating HG щ Heating HW Cooling C is [00] out of 100. Hot water HWE This home's annual greenhouse gas emissions: [0000]kg CO2e (with solar) Hot water HWG Lights Pool/Spa equipment [0000]kg CO2e (without solar) Plug-in appliances PA CAE CAG SG SE Cooking appliances Predicted annual electricity use: [0000] kWh Cooking appliances Supply charge Exported to the grid: [00]% Supply charge Used by the home: [00]%





HWG [XX]%

wood

electric

electric

gas electric

electric

electric electric

electric

Page 2 of 10

gas

Predicted Whole of Home annual impact by appliance

Shows the contribution each appliance has on the home's annual energy use, greenhouse gas emissions and cost without solar.



Greenhouse gas emissions:

L[XX]%-

PA [XX]%-CAE [XX]% -C [XX]% P [XX]%-L [XX]%-HWG [XX]% HE [XX]% C [XX]% HWE [XX]% Fuel type: Name: electric Heating gas

0000000-00] NatHERS Certificate 0.0 Star rating and 00 Whole of	Home			Const	ructio	n			
	Approv	al stag	90	stage			-	-	
ertificate check checklist covers important items impacting the dwelling's ratings. recommended that the accuracy of the whole certificate is checked. the true boxes indicate when and who should check each item. te: The boxes indicate when and who should check each item.	Assessor checked	Consent authority/		Builder checked		Consent authority/ surveyor checked		Occupancy/other	
s not mandatory to complete me									
enuine certificate check			Π]				
pes this Certificate match the one available at the web address of an rification link on the front page?		-		Г	1]		
pes the NatHERS certificate number on the NatHERS-stamped pane method									
hermal performance check					_				
Vindows and glazed doors			_		-		1		_
boes the window size, opening type and location shown on the NatHERS- tamped plans or as installed match what is shown in 'Window and glazed door tamped plans or as installed match what is shown in 'Window and glazed door									_
chedule' and 'Roor window screet the substitution tolerances (AFRC* based Does the installed windows meet the substitution tolerances (AFRC* based SHGC* and U-values') as shown in the Window and glazed door type and geformance and 'Roof window type and performance' tables on this Certificate performance.	?								
External walls	d -					Г			
Does the external wall bulk insulation (R-value) shown on the warner of an external wall type table on this plans or as installed match what is shown in the External wall type table on this plans or as installed match what is shown in the external wall type table.									
Does the external wall shade (colour) match what is shown in the 'External wall type' table on this Certificate?						L			
Floor	IS		Г	1					
Does the floor insulation (R-value) shown on the value. To complete installed match what is shown in the 'Floor type' table on this certificate?									
Ceiling penetrations*				7			Π		1
Does the 'quantity' and 'type' of ceiling penetrations' (e.g. coale match what is fans, etc) shown on the NatHERS-stamped plans or as installed match what is enswin in the 'Ceiling penetrations' table on this Certificate?	5								
Ceiling	or as		Г	7		1]
Does the ceiling insulation (R-value) shown on the NatHERS-stamped plans installed match what is shown in the 'Ceiling type' table on this Certificate?	01 43		L						
Roof					Г	1		Γ	٦
Does the external roof shade (colour) on the NatHERS stamped plans or as installed match what is shown in the 'Roof type' table on this Certificate?									
Apartment entrance doors (NCC Class 2 assessments only)									
Does the 'External Door Schedule' show aparment entrance in the Please note that an "external door' between the modelined dwelling and a she space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would inval the Certificate.	ared idate								
Exposure*	d? For				Γ				П
Has the appropriate exposure type (terrain) (shown on page 1) been upper example, it is unlikely that a ground-floor apartment is "exposed" or a top flo high-rise apartment is "protected".	oor	L							_
Heating and cooling load limits*	в				T			1	
Do the load limits settings (shown on page 1) match the values in the ABC Standard 2022: NAtHERS heating and cooling load limits for the appropria climate zone?	ite							1	

	22 Certificate example	es (Nove	ember 20	22)				
.02	ZZ Gertinoato oxamp.		s rating and 00	Whole of	Home rating	as of [Date]	HOUSE .	
#00	0000000-00] NatHERS Certificate	0.0 Sta	0.0 Star rating and of thiolo of the					
Ap	pliance schedule	performanc	e assessment	is not con	nducted for	this certificate) appliance schedule	е.	
Not	e: A flat assumption of 5W/m ² is use	d for lighting,	therefore lightin	ig is not inc				
Co	ooling system					Minimum	Recommended	
		Locatio	'n	Fuel type		efficiency/ performance	capacity	
A	ppliance/ system type	Kitchen/	Dining/Living	Electric		00	00	
Di (h	eat pump)	Redroot	m 1	Electric		00	00	
Du (he	ucted refrigerative air conditioning neat pump)	Bearoon		Electric		00	00	
0	Ducted refrigerative air conditioning	Bedroo	m 2	Electric		00	00	
	Ducted refrigerative air conditioning	Bedroo	am 3	Electric				-
(heat pump)							
	Heating system					Minimum		
2022 [#0000 Appl (not Note Du (he Du (he) Du (he) (he)))))))))))))	ricaling system			_		efficiency/	Recommended capacity	
	Appliance/ system type	Loca	Location		pe	00	00	
	Ducted reverse cycle air-conditioner	Kitche	en/Dining/Living	Eleculo		00	00	-
	Ducted reverse cycle air-conditioner	Bedro	oom 1	Electric		00		-/
	(heat pump)	Bedr	noom 2	Electric		00	00	_
	(heat pump)	Pade	room 3	Electri	D	00	00	
	Ducted reverse cycle air-conditioner (heat pump)	Bed						
								_
	Hot water system				Substitution	tolerance ranges	6	
			Minimum efficiency/		Zone 3 STC	Zone 3 STC	Assessed daily load	
	Appliance/ system type	Fuel type	performan	ce	lower limit	opportant.	120L	
	Gas instantaneous	Gas	0 star	one 4	22	31 (Medium)	120L	
	Gas boosted solar thermal	Solar-gas	30 5103 2					
	in the second second							
April 202 (not a Duck (he Duc	Pool/spa equipment					Minimum efficiency/	Recommend capacity	ed
1	Appliance/ system type		Fuel type			performanc 00	00	
	Single speed pressure cleaner w	ith main filtratio	on Electric			00		
	pump							
	* Refer to glossary.	v [address]						Page 8 of 1
	Generated on [date] using [software] to	v (ann 1991						

Whole of Home Performance Rating

Whole of Home performance rating





How do I improve my Whole of Home Rating?

How to improve the Whole of Home Rating

- Go beyond a 7-star thermal shell
- Use higher star rating appliances
- Select different appliance
- Use multiple non-ducted systems instead of single ducted system
- Switching between fuels and technologies
- Load shifting
- Adding solar PV, or re-orienting solar PV to generate more energy during afternoon and evening peaks
- Adding batteries

Summary

In this webinar we have covered:

- Overview of Whole of Home
- Benefits of Whole of Home
- Appliances included in Whole of Home
- How to find energy efficiency information for appliances
- How a Whole of Home Assessment is Conducted
- Whole of Home Certificate
- How do I improve my Whole of Home Rating?

Complete the Quiz

Access and complete the quiz at:

https://transformed-pty-ltd-short-courses.thinkific.com/courses/nathers-whole-of-home-overview

You will need to register and on successful completion you will be sent your certificate.



NATIONWIDE

ENERGY RATING SCHEME

Whole of Home

OVERVIEW

Webinar and Quiz



R



Questions?